

Date: Monday, 2/19/2007 8:07:53 AM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: GASKET
Job Number	: 30754		
Estimate Number	: 12720		
P.O. Number	: N/A	Part Number	: D353623 <i>Rev A</i>
This Issue	: 2/19/2007 S.O. No. : N/A	Drawing Number	: D3536 <i>UNDER REVIEW</i> <i>PH</i> <i>07.02.19</i>
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: N/A	Drawing Revision	: U/R
Previous Run	: N/A	Material	: N/A
Written By	: <i>[Signature]</i>	Due Date	: 2/26/2007
Checked & Approved By	: <i>[Signature]</i> <i>07.02.19</i>	Qty:	12 Um: Each
Comment	: Est Rev:A New Issue 07-02-14 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	MNEO60S063	NEOPRENE SHEET 0.063
-----	------------	----------------------



Comment: Qty.: 1.4033 sf(s)/Unit Total : 16.8399 sf(s)

NEOPRENE SHEET 0.063

Batch: *M103104*

SAD 07/03/10

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET

1-Cut as per Dwg D3536

Dwg Rev: *A*

Prog Rev: *A*

[Signature] *SAD 07/03/10*

2-Deburr if necessary

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SAD 07/03/10

(12)

PTD

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

07/03/12 (12)

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1





Identify and Stock

Location: _____

[Signature] *07/03/13 (12)*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: FD Date: 07/03/14
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
07/02/10 SAD	2.0	water jet didn't cut one correctly "Scrap one piece"		Scrap and destroy replace	07/02/10 SAD	 07/03/12	 07/03/12	 07/03/12

NOTE: Date & initial all entries

Date: Monday, 2/19/2007 8:07:53 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GASKET

Job Number: 30754

Part Number: D353623

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

(12)
20070314

Job Completion



U 07-03-14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART

RELEASED
09.02.12

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	TITLE	D3536	REV. A
A	06.10.25	GASKET	NEW ISSUE	SHEET 1 OF 6
				SCALE 1:10



D3536-11 GASKET



D3536-13 GASKET

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30754



NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

DART

DESIGN	C.B.	DRAWN BY	C.B.	DART AEROSPACE USA, INC.
CHECKED	MH	APPROVED	MH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3536	REV. A
		TITLE	GASKET	SHEET 2 OF 6
				SCALE 1:10

RELEASED
07.02.12

**D3536-15 GASKET****D3536-21 GASKET****NOTES**

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO. 30754


Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.




DESIGN	C.B.	DRAWN BY	C.B.	DART AEROSPACE USA, INC.	REV. A
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA	
DATE	06.10.25	TITLE	GASKET	DRAWING NO.	D3536
				SHEET	3 OF 6
				SCALE	1:10

RELEASED
07.02.12



D3536-23 GASKET



D3536-25 GASKET

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30754

DART


DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3536	REV. A
		TITLE	GASKET	SHEET 4 OF 6
				SCALE
				1:10

RELEASED


07.02.12



D3536-33 GASKET



D3536-35 GASKET



D3536-31 GASKET



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30754

- NOTES**
- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
 - 2) FINISH: NONE
 - 3) PART IS SYMMETRICAL ABOUT C
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
 - 7) SEE PAGE 6 FOR DETAILS AND SECTION

DART

DESIGN	C.B.	DRAWN BY	C.B.	DART AEROSPACE USA, INC.	REV. A
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA	
DATE	06.10.25	TITLE	D3536	GASKET	SHEET 5 OF 6
					SCALE 1:10

07.02.12
PH




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30754

- NOTES
- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
 - 2) FINISH: NONE
 - 3) PART IS SYMMETRICAL ABOUT ϕ
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
 - 7) SEE PAGE 6 FOR DETAILS AND SECTION

DART

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3536	REV. A
		TITLE	GASKET	SHEET 6 OF 6
		SCALE	1:10	

076212 CH




D3536-41 GASKET

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30754

NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER



DART AEROSPACE LTD		Work Order: 30754
Description: basket		Part Number: D3536-23
Inspection Dwg: A	Rev: A	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☒ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
52.85	+/- 0.030	52.875	✓		M-T / Vern	
48.20	+/- 0.030	48.220	✓		M+T	
44.70	+/- 0.030	44.68	✓		M-T / Vern	
39.31	+/- 0.030	39.50	✓		M-T / Vern	
33.42	+/- 0.030	33.95	✓		M-T / Vern	
28.53	+/- 0.030	28.56	✓		M-T / Vern	
23.14	+/- 0.030	23.170	✓		M-T / Vern	
17.75	+/- 0.030	17.75	✓		M-T	
14.25	+/- 0.030	14.25	✓		M-T	
9.50	+/- 0.030	9.50	✓		M-T	
4.75	+/- 0.030	4.75	✓		M-T	
8.00	+/- 0.030	8.02	✓		Vern	
16.00	+/- 0.030	16.02	✓		Vern	
24.00	+/- 0.030	24.02	✓		Vern	
32.00	+/- 0.030	32.01	✓		Vern	
39.00	+/- 0.030	39.01	✓		Vern	
47.00	+/- 0.030	47.00	✓		Vern	
Ø 0.19	+/- 0.030	Ø 0.193	✓		Vern	
Ø 0.30	+/- 0.030	0.317	✓		Vern	
0.30	+/- 0.030	0.317	✓		Vern	
1.89	+/- 0.030	1.91	✓	✗	Vern	

Measured by: SAD	Audited by:	Prototype Approval:
Date: 07/03/10	Date:	Date:

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	